

THE COMMISSIONER OF PATENTS AND TRADEMARKS, Washington, D.C. 20231

Enclosed for filing is the patent application of Inventor:
AUDRUN VANDEGINSTE

FOR: APPARATUS FOR PROCESSING SIGNALS

ENCLOSED ARE:

- [X] Appointment of Associates;
[X] Information Disclosure Statement, Form PTO-1449 and copies of documents listed therein;
[X] Preliminary Amendment;
[X] Specification (7 Pages of Specification, Claims, & Abstract);
[X] Declaration and Power of Attorney:
(1 Page of a [] fully executed [X] unsigned Declaration);
[X] Drawing (2 sheets of [] informal [X] formal sheets);
[X] Certified copy of European Application Serial No. 99201038.9;
[X] Authorization Pursuant to 37 CFR §1.136(a)(3)
[] Other: ;
[] Assignment to

FEE COMPUTATION

CLAIMS AS FILED				
FOR	NUMBER FILED	NUMBER EXTRA	RATE	BASIC FEE - \$690.00
Total Claims	6 - 20 =		X \$18 =	
Independent Claims	2 - 3 =		X \$78 =	
Multiple Dependent Claims, if any			\$260 =	
TOTAL FILING FEE				= \$ 690.00

Please charge Deposit Account No. 14-1270 in the amount of the total filing fee indicated above, plus any deficiencies. The Commissioner is also hereby authorized to charge any other fees which may be required, except the issue fee, or credit any overpayment to Account No. 14-1270.


[] Amend the specification by inserting before the first line as a centered heading --Cross Reference to Related Applications--; and insert below that as a new paragraph --This is a continuation-in-part of application Serial No. , filed , which is herein incorporated by reference--.

CERTIFICATE OF EXPRESS MAILINGExpress Mail Mailing Label No. EL 335 550 562 US
Date of Deposit April 4, 2000

I hereby certify that this paper and/or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 C.F.R. 1.10 on the date indicated above and is addressed to the Commissioner of Patents and Trademarks, Washington, D.C. 20231.

Patti DeMichele
Typed Name

Signature


Laurie E. Gathman, Reg. 37,520
Attorney
(914) 333-9605
U.S. Philips Corporation
580 White Plains Road
Tarrytown, New York 10591
S:gaingnewtrans.wp

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

Atty. Docket

GUDRUN VANDEGINSTE

PHN 17,395

Serial No.

Filed: CONCURRENTLY

APPARATUS FOR PROCESSING SIGNALS

Honorable Commissioner of Patents and Trademarks
Washington, D.C. 20231

PRELIMINARY AMENDMENT

Sir:

Prior to calculation of the filing fee and examination,
please amend the above-identified application as follows:

IN THE CLAIMS

Claim 3, line 1, delete "or 2".

Claim 4, lines 1 and 2, change "any one of claims 1
to 3" to --claim 1--.

IN THE ABSTRACT

Before line 1, delete "ABSTRACT:" and substitute the following
heading:

--ABSTRACT OF THE DISCLOSURE--;

last line, delete "Fig.1".

REMARKS

Entry of this amendment prior to calculating the filing fee is respectfully requested.

Respectfully submitted,



By
Laurie E. Gathman, Reg.37,520
Attorney
(914) 333-9605

Apparatus for processing signals.

FIELD OF THE INVENTION

The invention relates to an apparatus for processing signals, comprising parameter control means for controlling parameters of said signals, said parameter control means being adapted to cause adjustments to said parameters in response to current ambient
5 factors or properties of said signals.

The invention further relates to a method for processing signals, comprising a step of controlling parameters of said signals by determining adjustments in response to current ambient factors or properties of said signals.

10 BACKGROUND OF THE INVENTION

An apparatus of the above type is known from US 5,045,926. The known apparatus is a display apparatus or television receiver which comprises means for automatically adjusting picture parameters, such as sharpness and luminance level, in response to variations of signal properties, such as signal strength and picture content. For example, the
15 known apparatus raises the picture sharpness in the case of a light image, while the sharpness is lowered in the case of either a dark image or an image received with a small electric field strength, since the preshoot and overshoot of the video signal for raising the sharpness of the image emphasize the noise. As another example, the luminance is lowered in the case of a light image and raised in the case of a dark image, thereby preventing 'black deformation' or
20 'black separation' regardless of the video content of each image.

OBJECT AND SUMMARY OF THE INVENTION

It is an object of the invention to provide an improved apparatus of the type defined in the opening paragraph. To that end, the apparatus according to the invention further
25 comprises indicator means for presenting a level indicator which is indicative of said adjustments. In this way it is achieved that the continuously varying adjustments of the parameter control means are visualized, giving a viewer an impression of the automatic signal control features of the apparatus and their proper functioning. The indicator means allow a user to compare the operation of the parameter control means with e.g. the signal strength, or

the ambient factors as perceived by the user. For example, the apparatus may comprise sensor means for measuring ambient factors, such as ambient light or ambient noise. By alternately changing the ambient factors, or covering and uncovering the sensor means, the operation of the parameter control means can be influenced, which can be examined by means of the
5 parameter control means. In such a way the automatic control features can be demonstrated easily.

A further embodiment of the apparatus according to the invention comprises user control means for setting a preferred parameter level to be input into said parameter control means, said parameter control means being adapted to compute said adjustments as a
10 function of said preferred parameter level and said current ambient factors or properties of said signals. For example, the user control means allow a user to enter a preferred contrast or brightness level. This preferred level is then input into the parameter control means and combined with the measurements representing the ambient factors or signal properties. The resultant parameter adjustments are applied to the relevant signal parameters, and conveyed to
15 the user by means of the indicator means. In this way it is achieved that the user can examine the interaction between the manual settings of the user control means and the automatic adjustments by the parameter control means.

The invention is particularly suitable for controlling picture parameters in monitors and television receivers. Alternatively, the invention can be applied for controlling
20 audio parameters in (car)audio equipment, or any other signal processing apparatus which comprises means for automatically adjusting signal parameters.

BRIEF DESCRIPTION OF THE DRAWINGS

These and other aspects of the invention are apparent from and will be
25 elucidated, by way of a non-limitative example, with reference to the embodiment(s) described hereinafter. In the drawings,

Figure 1 shows a diagram of a television receiver as an embodiment of the apparatus according to the invention,

Figure 2 schematically shows the parameter control process of the apparatus
30 according to the invention.

DESCRIPTION OF EMBODIMENTS

Figure 1 shows a diagram of a television receiver as an embodiment of the apparatus according to the invention. Television signals from a plurality of channels are

received from an antenna 101, or alternatively from a cable network. A tuner 102 is capable of selecting a channel in response to commands from a central processing unit 109. The signal of the selected channel is demodulated and split into an audio signal and a video signal. The audio signal is further processed by an audio processor 103 and a loudspeaker 105. The audio processor 103 comprises an audio parameter controller 104, for controlling audio parameters, such as balance, treble, bass and loudness, in response to control signals from the central processing unit 109. The video signal is further processed by a video processor 106 and displayed on a display screen 108. The video processor 106 comprises a video parameter controller 107 for controlling video parameters, such as brightness, contrast, color, sharpness, noise reduction, dynamic contrast and color enhancement, in response to control signals from the central processing unit 109. The central processing unit 109 comprises a user command processor 110 and an automatic parameter controller 111. A user command unit 112 is capable of receiving user commands, e.g. through a remote control (not shown), and sending said user commands to the central processing unit 109. For example, the user may enter a channel number in order to select the corresponding channel. The channel number is translated by the user command processor into an appropriate command which is used to control the tuner 102 to tune to the desired channel.

The central processing unit 109 further receives signals from a sensor 113, which measures the ambient light. A non-volatile memory 114 is connected to the central processing unit for storing data, e.g. presets and parameter settings. The central processing unit 109 is further capable of generating graphical pictures, such as menus, level indicators etc. The automatic parameter controller 111 is capable of controlling the audio parameter controller 104 and the video parameter controller 107 in response to signals obtained from the tuner 102, the user command processor 110 and the sensor 113, as will be explained hereinafter.

Figure 2 schematically shows the parameter control process. It allows the user to control picture and sound parameters by choosing his own 'taste', but instead of the static settings which are known from conventional TVs, the user can benefit from the dynamics of automatic parameter adjustment and adapt it to his own wishes in an easy way. The diagram of Figure 2 applies to every separate parameter control, e.g. noise reduction, sharpness, contrast, histogram modification etc.

A meter 201 sends meter values to a preprocessor 204. The meter values may be measurements, e.g. signal strength, motion estimation, or color. Alternatively, values may be obtained from a sensor, e.g. an ambient light sensor, or a microphone. Instead of said meter values from the meter 201 a constant value from a constant value source 202 may be selected

by means of a switch 203. By means of a further switch 206 a profile may be selected from a profile table 208 and sent to the preprocessor 204 which combines it with the selected value obtained from the switch 203 and sends a resultant value to a processor 205 which determines a parameter adjustment in response to said resultant value. If the constant value is selected from the value source 202, the automatic parameter adjustment is decoupled from the meter input, and the parameter adjustments are completely determined by the profile selected from the profile table 208. Note, that the automatic parameter adjustment may be independently decoupled from the meter input for each separate parameter. The constant value generated by the value source 202 represents an 'average' value as it could be measured by the meter 201.

The processor 205 may determine the parameter adjustment by means of look-up tables and/or by means of algorithms. Each parameter may require different meter values. For example, for signals that have been affected by noise, improvement can be achieved by a combination of the pixel values of the current and past fields of video. This however is only possible for those picture areas in which no movement occurs. If movement occurs in some area, only the information from the current field of video may be displayed for that area to prevent smearing, so noise reduction is not effective there. Hence, noise reduction may be dependent on meter values representing the degree of motion in the current video content. As another example, using histogram modification techniques, the contrast of the overall picture may be improved. From a TV scene the distribution of all luminance values is taken (histogram). This histogram is used to calculate an optimal transfer curve for the particular scene, which is used to process the video digitally resulting in a picture with improved contrast. For example: when most luminance information in a scene is located below mid grey and when there is almost no white in the scene, the range of levels between halfway black and mid grey will be emphasized.

If the user wants to change a profile, the profile table 208 is connected to a user control 209 by means of a further switch 207. A value representative of the selected profile is sent to a level indicator 210, which may be a dedicated display, e.g. a LED-array or an on-screen display element which is displayed on the television screen. The level indicator 210 gives feedback on the adjustments of the selected profile.

A value representative of the parameter adjustment determined by the processor 205, based on the selected profile and the input value obtained from the switch 203, is sent to a level indicator 211, which may also be a dedicated display, e.g. a LED-array or an on-screen display element which is displayed on the television screen. The level indicators 210 and 211 may be distinct or combined, and may be visible simultaneously or only one at a time.

Normally, switch 207 is open, and switch 206 selects the desired profile, or 'smart setting'. A profile is a set of predefined coefficients representing a particular 'taste'. It may be dedicated to one particular parameter or to a combination of parameters. It is stored in the non-volatile memory 114. If the user is not satisfied with the selected user profile, its coefficients may be adjusted through the user control 209 and switch 207. The adjusted profile is stored as well in the memory 114. During this adjustment the level indicator 210 is visible, showing the adjusted value of the selected profile. The adjustment is immediately effective, adapting the picture parameters accordingly. Additional feedback is provided by the level indicator 211 which shows the combined effect of the meter input values and the selected profile, yielding a level indication which continuously follows the degree of adjustment as determined by the processor 205. The profiles of the profile table 208 may be labeled with labels such as 'off', 'minimum', 'medium', 'maximum', or e.g. 'personal', 'soft', 'natural', 'rich', 'sport', etc.

The level indicator 211 may be activated in response to a dedicated user command, e.g. a demonstration button. It may further be visible when a parameter value is adjusted by the user. The level indicator may be shown simultaneously with similar level indicators representing other signal parameters. This may be convenient in a demonstration mode to show the continuous adaptation of parameter adjustments to some or all relevant signal parameters. For example, in one screen, level indicators may be shown for e.g. brightness, contrast, dynamic contrast, color, sharpness, and noise reduction.

In summary, the invention relates to an apparatus for processing signals, comprising parameter control means for controlling parameters of said signals in response to manual adjustments by the user as well as automatically generated adjustments based on current ambient factors or properties of said signals. The apparatus according to the invention comprises indicator means for presenting a level indicator which is indicative of the combined result of the manual and automatic adjustments.

Although the invention has been described with reference to particular illustrative embodiments, variants and modifications are possible within the scope of the inventive concept. Thus, for example, described functions may be implemented in hardware or software, and combined or split up in alternative ways. The indicator means may continuously indicate the resultant adjustment, or average subsequent adjustments over a predetermined period of time. The word 'comprising' does not exclude the presence of other elements or steps than those listed.

CLAIMS:

1. An apparatus for processing signals, comprising parameter control means for controlling parameters of said signals, said parameter control means being adapted to cause adjustments to said parameters in response to current ambient factors or properties of said signals, characterized in that the apparatus further comprises indicator means for presenting a
5 level indicator which is indicative of said adjustments.
2. An apparatus as claimed in claim 1, further comprising user control means for setting a preferred parameter level to be input into said parameter control means, said
10 parameter control means being adapted to compute said adjustments as a function of said preferred parameter level and said current ambient factors or properties of said signals.
3. An apparatus as claimed in claim 1 or 2, said signals being video signals, said
15 parameters being picture parameters (e.g. contrast, brightness, saturation) and said ambient factors being ambient light.
4. A television receiver comprising an apparatus as claimed in any one of claims 1
to 3.
5. A method for processing signals, comprising a step of controlling parameters of
20 said signals by determining adjustments in response to current ambient factors or properties of said signals, characterized in that the method further comprises a step of presenting a level indicator which is indicative of said adjustments.
6. A method as claimed in claim 5, further comprising a step of setting a preferred
25 parameter level, said adjustments being computed as a function of said preferred parameter level and said current ambient factors or properties of said signals.

ABSTRACT:

- The invention relates to an apparatus for processing signals, comprising parameter control means for controlling parameters of said signals in response to manual adjustments by the user as well as automatically generated adjustments based on current ambient factors or properties of said signals. The apparatus according to the invention
- 5 comprises indicator means for presenting a level indicator which is indicative of the combined result of the manual and automatic adjustments.

Fig. 2




FIG. 1




FIG. 2

DECLARATION and POWER OF ATTORNEY

ATTORNEY'S DOCKET NO.:

PHN 17.395

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

"Apparatus for processing signals"

the specification of which (check one)

☐ is attached hereto.☐ was filed on _____ as Application Serial No. _____ and was amended on _____ (if applicable).

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by the amendment(s) referred to above.

I acknowledge the duty to disclose information which is material to patentability of this application in accordance with Title 37, Code of Federal Regulations, §1.56(a).

I hereby claim foreign priority benefits under Title 35, United States Code, § 119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

PRIOR FOREIGN APPLICATION(S)

COUNTRY	APP. NUMBER	DATE OF FILING (DATE, MONTH, YEAR)	PRIORITY CLAIMED UNDER 35 U.S.C. 119
Europe	99201038.9	6 April 1999	YES

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35 United States Code, §112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, §1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

PRIOR UNITED STATES APPLICATION(S)

APPLICATION SERIAL NUMBER	FILING DATE	STATUS (PATENTED, PENDING, ABANDONED)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith. (list name and registration number)

Algy Tamoshunas, Reg. No. 27,677

Jack E. Haken, Reg. No. 26,902

SEND CORRESPONDENCE TO: Corporate Patent Counsel; U.S. Philips Corporation; 580 white Plains Road; Tarrytown, NY 10591	DIRECT TELEPHONE CALLS TO: (name and telephone No.) (914) 332-0222
--	--

Dated:		Inventor's Signature:		
Full Name of In Inventor	Last Name VANDEGINSTE	First Name Gudrun	Middle Name	
Residence & Citizenship	City Brugge	State of Foreign Country Belgium	Country of Citizenship Belgium	
Post Office Address	Street Pathoekeweg 11	City B-8000 Brugge	State of Country Belgium	Zip Code

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

Atty. Docket

GUDRUN VANDEGINSTE

PHN 17,395

Serial No.

Filed: CONCURRENTLY

APPARATUS FOR PROCESSING SIGNALS

Honorable Commissioner of Patents and Trademarks
Washington, D.C. 20231

APPOINTMENT OF ASSOCIATES

Sir:

The undersigned Attorney of Record hereby revokes all prior appointments (if any) of Associate Attorney(s) or Agent(s) in the above-captioned case and appoints:


Laurie E. Gathman

(Registration No. 37,520)

c/o U.S. PHILIPS CORPORATION, Intellectual Property Department, 580 White Plains Road, Tarrytown, New York 10591, his Associate Attorney(s)/Agent(s) with all the usual powers to prosecute the above-identified application and any division or continuation thereof, to make alterations and amendments therein, and to transact all business in the Patent and Trademark Office connected therewith.

ALL CORRESPONDENCE CONCERNING THIS APPLICATION AND THE LETTERS PATENT WHEN GRANTED SHOULD BE ADDRESSED TO THE UNDERSIGNED ATTORNEY OF RECORD.

Respectfully,



Jack E. Haken, Reg. 26,902
Attorney of Record

Dated at Tarrytown, New York
April 3, 2000.